

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L4 | 0 | (@ad<"20011227" @rlad<"20011227") and sequencer same desequencer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:35 |
| L5 | 0 | (@ad<"20011227" @rlad<"20011227") and (command transaction) and sequencer and desequencer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:24 |
| L6 | 7409 | (@ad<"20011227" @rlad<"20011227") and (command transaction) and sequencer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:24 |
| L7 | 3200 | (@ad<"20011227" @rlad<"20011227") and (command transaction) same sequencer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:25 |
| L8 | 0 | 7 and desequencer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:25 |
| L9 | 148 | 7 and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:25 |
| L10 | 22 | 9 and (tag identifier) with (command transaction) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:33 |
| L11 | 3 | (@ad<"20011227" @rlad<"20011227") and separate with (command transaction) with order with (tag identifier) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:31 |
| L12 | 98 | (@ad<"20011227" @rlad<"20011227") and assembl\$2 and re\$1assembl\$2 and PCI and (command transaction) with order | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:50 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| L13 | 98 | 12 and PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:42 |
| L14 | 66 | 13 and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:35 |
| L15 | 21 | 14 and sequence with (command transaction) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:36 |
| L16 | 50 | 14 and (command transaction) same (tag identifier) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:42 |
| L17 | 20 | 15 and (command transaction) same (tag identifier) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:36 |
| L18 | 2 | 13 and (command transaction) with (tag identifier) with order | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:46 |
| L19 | 1 | 12 and 710/5-7,58.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:46 |
| L20 | 441 | (@ad<"20011227" @rlad<"20011227") and separate with (command transaction) with order\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:51 |
| L21 | 4 | (@ad<"20011227" @rlad<"20011227") and separate with (command transaction) with (identifier tag) and PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:54 |
| L22 | 8 | (@ad<"20011227" @rlad<"20011227") and (separate parse) with (command transaction) with (identifier tag) and PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:54 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| L23 | 4 | 22 not 21 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:55 |
| L24 | 0 | (@ad<"20011227" @rlad<"20011227") and ordered adj transaction with tag adj number | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 09:59 |
| L25 | 0 | (@ad<"20011227" @rlad<"20011227") and ordered adj transaction same tag adj number | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 09:59 |
| L26 | 1 | (@ad<"20011227" @rlad<"20011227") and ordered adj transaction same (tag identifier) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 10:03 |
| L27 | 0 | 26 and PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 09:59 |
| L28 | 2 | (@ad<"20011227" @rlad<"20011227") and ordered adj transaction and (sequence order) adj (tag identifier) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 10:01 |
| L29 | 17 | (@ad<"20011227" @rlad<"20011227") and sequence adj identifier and PCI and "710"/\$. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 10:05 |
| L30 | 16 | 29 and order\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 10:03 |
| L32 | 0 | (@ad<"20011227" @rlad<"20011227") and sequence adj identifier same order same router and "710"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 10:05 |
| S1 | 14 | reordering adj transactions and @ad<"20011227" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:08 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S2 | 12 | S1 and queues | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 11:41 |
| S4 | 35 | ordered adj queues and @ad<"20011227" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 13:54 |
| S14 | 0 | reordering adj transactions and @ad<"20011227" and sequence adj identifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:09 |
| S15 | 0 | @ad<"20011227" and sequence adj identifier and order adj queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:09 |
| S16 | 3 | @ad<"20011227" and router and transaction near id near queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:12 |
| S17 | 20 | @ad<"20011227" and router and transaction near ordering | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:18 |
| S18 | 0 | @ad<"20011227" and router and transaction near ordering near sort | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:13 |
| S19 | 181 | @ad<"20011227" and queue adj pair\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:18 |
| S20 | 0 | S19 and sequence adj id | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:18 |
| S21 | 86 | S19 and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:19 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S22 | 6 | S21 and transaction near id | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:24 |
| S23 | 0 | S19 and separate near queue adj pair\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:25 |
| S24 | 0 | S19 and separate near transaction | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:25 |
| S25 | 0 | S19 and separate near command | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:26 |
| S26 | 0 | S19 and separate near queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:26 |
| S27 | 0 | S19 and S21 and PCI near orders\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:26 |
| S28 | 26 | S19 and S21 and PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:33 |
| S29 | 35 | @aD<"20011227" and ordered adj queues | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:33 |
| S30 | 1 | S29 and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:43 |
| S31 | 8 | ("6754751" "5805839" "6108741" "5930485").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:46 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S32 | 8 | ("6754751" "5805839" "6108741" "5930485").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:47 |
| S33 | 0 | S32 and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:47 |
| S34 | 38 | ordered adj sequence and sequence adj identifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:50 |
| S35 | 18 | S34 and @ad<"20011227" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:48 |
| S36 | 0 | S35 and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:48 |
| S37 | 1 | @ad<"20011227" and ordered adj queue and sequence adj identifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:00 |
| S38 | 72 | Willke.inv. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:54 |
| S39 | 58 | S38 not intel.asn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:54 |
| S40 | 0 | S39 and ordered near transaction | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:55 |
| S41 | 0 | S39 and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:55 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S42 | 9 | S39 and order | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:55 |
| S43 | 3510 | chipset and @ad<"20011227" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:56 |
| S44 | 332 | S43 and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:56 |
| S45 | 0 | S44 and order near transaction | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:56 |
| S46 | 148 | S44 and identifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:57 |
| S47 | 0 | S46 and transaction near ordered adj queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 15:57 |
| S48 | 3 | S46 and ordered adj queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 16:00 |
| S49 | 0 | @ad<"20011227" and ordered same queue same identifier same router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 16:01 |
| S50 | 0 | @ad<"20011227" and ordered adj queue same router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 16:04 |
| S51 | 6 | ("6405276" "6513090" "6618782").pn. and @ad<"20011227" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 16:05 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S52 | 1 | S51 and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 16:11 |
| S53 | 0 | S51 and router and ordered near queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 16:11 |
| S54 | 1 | S51 and router and order\$2 same queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 16:55 |
| S55 | 0 | @ad<"20011227" and queue adj pair same separate same transaction adj id | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 16:17 |
| S56 | 0 | @ad<"20011227" and queue adj pair same separate same sequence adj id | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 16:17 |
| S57 | 0 | @ad<"20011227" and queue adj pair same separate same order adj id | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 16:40 |
| S58 | 0 | @ad<"20011227" and queue adj priority and ordered adj transaction | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 16:55 |
| S59 | 118 | @ad<"20011227" and queue adj priority and order\$2 same transaction | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 16:56 |
| S60 | 15 | @ad<"20011227" and separate adj queue; same priority same id | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 16:57 |
| S61 | 187 | @ad<"20011227" and ordered adj queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:00 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S62 | 58589 | S61 router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:00 |
| S63 | 14 | S61 and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:00 |
| S64 | 2043 | @ad<"20011227" and 710/52-57. ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:01 |
| S65 | 30 | S64 and separate adj buffers | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:05 |
| S66 | 0 | @ad<"20011227" and separate near different near buffer and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:06 |
| S67 | 146 | @ad<"20011227" and separate same different same buffer and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:06 |
| S68 | 58 | S67 and id | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:12 |
| S69 | 0 | @ad<"20011227" and router and separate near priority near buffers | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:11 |
| S70 | 3 | S68 and separate near buffer | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:15 |
| S71 | 0 | S64 and router and separate adj priority | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:16 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S72 | 0 | S64 and router and separate near priority | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:16 |
| S73 | 65 | S64 and router and priority | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:17 |
| S74 | 8 | S73 and priority near queue | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:18 |
| S75 | 2 | S73 and separate near buffers | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/14 17:18 |
| S76 | 0 | @ad<"20011227" and PCI and transaction adj ID and Delay adj complete | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 11:43 |
| S77 | 0 | @ad<"20011227" and PCI near transaction near Delay adj complete | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 11:41 |
| S78 | 0 | @ad<"20011227" and PCI near transaction and Delay adj complete | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 11:41 |
| S79 | 47 | @ad<"20011227" and PCI near transaction and Delay adj complet\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 11:41 |
| S80 | 2 | S79 and label near transaction | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 11:43 |
| S81 | 23 | @ad<"20011227" and PCI and transaction adj label | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 11:49 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S82 | 0 | @ad<"20011227" and PCI and DRC-PRE and DWC and PMW and transaction near identifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 11:50 |
| S83 | 0 | @ad<"20011227" and PCI and DRC-PRE and DWC and PMW and transaction near label | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 11:51 |
| S84 | 4 | @ad<"20011227" and PCI and DRC-PRE and DWC and PMW and transaction | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 11:54 |
| S85 | 11 | @ad<"20011227" and transaction adj ordering near PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 11:55 |
| S86 | 0 | @ad<"20011227" and transaction adj ordering near PCI and label | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 11:55 |
| S87 | 0 | @ad<"20011227" and transaction adj ordering near PCI and transaction near identification | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/15 11:55 |
| S94 | 1301 | (@ad<"20011227" @rlad<"20011227") and sequence adj identifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 14:01 |
| S95 | 91 | (@ad<"20011227" @rlad<"20011227") and sequence adj identifier and PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 13:55 |
| S96 | 89 | S95 and order\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 13:55 |
| S97 | 0 | (@ad<"20011227" @rlad<"20011227") and sequence adj identifier same PCI same order\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 13:56 |

EAST Search History

| | | | | | | |
|----------|----|--|---|----|-----|------------------|
| S98 | 31 | (@ad<"20011227" @rlad<"20011227") and identifier\$ same PCI same order\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 13:56 |
| S99 | 7 | S98 and (combin\$5 merge) same identifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 13:58 |
| S10 0 | 7 | S98 and (combin\$5 merge) same identifier\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 13:58 |
| S10 1 | 7 | S98 and (combin\$5 merge align\$) same identifier\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 13:59 |
| S10 2 | 31 | S98 and (combin\$5 merge align\$ order\$) same identifier\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 13:59 |
| S10 3 | 0 | (@ad<"20011227" @rlad<"20011227") and PCI same command same schedul\$4 same order\$ same identifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 14:00 |
| S10 4 | 40 | (@ad<"20011227" @rlad<"20011227") and transaction adj order\$ same identifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:23 |
| S10 5 | 80 | (@ad<"20011227" @rlad<"20011227") and transaction adj order\$ with PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 08:39 |
| S10 6 | 58 | S105 and sequenc\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 14:02 |
| S10 7 | 58 | S106 and (combin\$5 merge align\$ order\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 14:03 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S10 8 | 7 | S107 and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 14:03 |
| S10 9 | 570 | (@ad<"20011227" @rlad<"20011227") and transaction adj order\$ and bus | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/16 14:12 |
| S11 0 | 12 | S109 and sequence adj identifi\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 08:39 |
| S11 1 | 52 | (@ad<"20011227" @rlad<"20011227") and transaction adj order\$ with bridge | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 08:53 |
| S11 2 | 26 | (@ad<"20011227" @rlad<"20011227") and transaction adj order\$ with bridge with PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 08:42 |
| S11 3 | 13 | (@ad<"20011227" @rlad<"20011227") and transaction with order\$ with (multiple plural\$3 both two) adj device | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 08:46 |
| S11 4 | 2 | (@ad<"20011227" @rlad<"20011227") and transaction with order\$ with (multiple plural\$3 both two) adj device with (chronolog\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 08:49 |
| S11 5 | 8 | (@ad<"20011227" @rlad<"20011227") and transaction with order\$ same (chronolog\$5) same identifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 08:52 |
| S11 6 | 0 | (@ad<"20011227" @rlad<"20011227") and command with order\$ same (chronolog\$5) same identifier same PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 08:52 |
| S11 7 | 0 | (@ad<"20011227" @rlad<"20011227") and command with order\$ same identifier same PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 08:52 |

EAST Search History

| | | | | | | |
|----------|------|--|---|----|-----|------------------|
| S11 8 | 4 | (@ad<"20011227" @rlad<"20011227") and command same order\$ same identifier same PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/17 09:57 |
| S11 9 | 2034 | (@ad<"20011227" @rlad<"20011227") and 710/5-7, 58-61.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 08:53 |
| S12 0 | 67 | S119 and order\$ with PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 08:54 |
| S12 1 | 15 | S119 and (transaction command) with order\$ with PCI | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 08:55 |
| S12 2 | 0 | S119 and (transaction command) with order\$ with PCI with identifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:01 |
| S12 3 | 0 | S119 and (transaction command) with order\$ with PCI same identifier | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 08:54 |
| S12 4 | 420 | S119 and (transaction command) with order\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 08:55 |
| S12 5 | 10 | S124 and router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 08:56 |
| S12 6 | 0 | S119 and (transaction command) with order\$ with PCI with (tag identifier label) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/08/17 09:01 |
| S12 7 | 1 | ("6690676").URPN. | USPAT | OR | OFF | 2006/08/17 09:05 |